


MAX-LIFT PREMIUM

Scissor Lift Tables



MAX-LIFT

Double MAX-Lift



MAXimum Performance
MAXimum Quality
MAXimum Reliability

MAX-MGV (Manually Guided Vehicle)



Self-Propelled Custom Models



MAX-Lift With Rotating Top

LIFT PRODUCTS, INC.

PO Box 349 • Elm Grove, Wisconsin 53122-0349
262-860-1895 • FAX 262-860-1894 • Toll Free 877-LIFTPRO (877-543-8776)
www.liftproducts.com • email lpi@liftproducts.com

MAX-LIFT Scissor Lift Tables

The best value in lift tables with unparalleled features! Reduces awkward bending and lifting since the work load is always at the correct level. The possibility of back injuries is also reduced and productivity is increased.

The "Max-Lift" table line offers the following standard features:

- Trapped top and bottom scissor arms
- Built-in safety bars
- Grease fittings on pivot points and cam rollers
- Magnetic backed control box
- High quality fit and finish



Captured 'Lift-Lok' secures top and base leg rollers.

Magnetic-backed control box or optional foot control allows operator to position the load at the ideal height.



High Quality Camrollers, Pivot Pins and Bearings

Integral, retractable maintenance safety bars

All welded construction meets AWS standard service

Tables conform to or exceed ANSI MH 29.1-1994



Baldor and Leeson 1½ HP motors. The highest standard duty cycle in the industry.

Motors and controls are easily accessible.

MAX-LIFT Table Options

LIFT PRODUCTS, INC.




*D.C. Operated Lift Table.
Manual or Self Propelled*



*Square Turn-Table
with Outboard Mounted*



Pop Up Ball Transfer Tops



*Accordion
Safety*



*Tapered Toe
Guards for in floor*

*Conveyor Top
Powered or Gravity*



*Semi-Live with
Dolly Jack*



Other Options Available: *Stainless Steel Tops • Special Paint • Special Electrical Controls*
Other Options: *Contact Factory*



MAX-LIFT Scissor Lift Table - Standard

VERTICAL TRAVEL	MODEL	CAPACITY (POUNDS)	EDGE LOADS		PLATFORM SIZES		BASE FRAME (INCHES)	HEIGHT		UP SPEED (SECONDS)	MOTOR H/P	CYLINDER (QUANTITY)
			STATIC	ROLLING	STANDARD	MAXIMUM		LOWERED	RAISED			
24"	LPT-020-24	2000	2000	1500	24 x 36	48 x 60	24 x 36	7	31	7	1 1/2	1
	LPT-025-24	2500	2500	2000	24 x 36	48 x 60	24 x 36	7	31	8	1 1/2	1
	LPT-030-24	3000	3000	2000	24 x 36	48 x 60	24 x 36	7	31	10	1 1/2	1
	LPT-035-24	3500	3000	2000	24 x 36	48 x 60	24 x 36	7	31	13	1 1/2	1
	LPT-040-24	4000	3000	2350	24 x 36	48 x 60	24 x 36	7	31	15	1 1/2	1
	LPT-050-24	5000	3500	2350	24 x 36	48 x 60	24 x 36	7	31	18	1 1/2	2
	LPT-060-24	6000	3500	2350	24 x 36	48 x 60	24 x 36	7	31	20	1 1/2	2
36"	LPT-020-36	2000	2000	1500	24 x 48	48 x 72	24 x 48	7	43	9	1 1/2	1
	LPT-025-36	2500	2500	2000	24 x 48	48 x 72	24 x 48	7	43	11	1 1/2	1
	LPT-030-36	3000	3000	2000	24 x 48	48 x 72	24 x 48	7	43	12	1 1/2	1
	LPT-035-36	3500	3000	2000	24 x 48	48 x 72	24 x 48	7	43	16	1 1/2	1
	LPT-040-36	4000	3000	2000	24 x 48	48 x 72	24 x 48	7	43	18	1 1/2	1
	LPT-045-36	4500	3500	2350	24 x 48	48 x 72	24 x 48	7	43	19	1 1/2	2
	LPT-050-36	5000	3500	2350	24 x 48	48 x 72	24 x 48	7	43	24	1 1/2	2
LPT-060-36	6000	3500	2350	24 x 48	48 x 72	24 x 48	7	43	25	1 1/2	2	
48"	LPT-020-48	2000	2000	1500	25 x 64	48 x 96	25 x 64	7	55	19	1 1/2	1
	LPT-025-48	2500	2500	1750	25 x 64	48 x 96	25 x 64	7	55	21	1 1/2	1
	LPT-030-48	3000	3000	2000	25 x 64	48 x 96	25 x 64	7	55	25	1 1/2	2
	LPT-035-48	3500	3000	2000	25 x 64	48 x 96	25 x 64	7	55	26	1 1/2	2
	LPT-040-48	4000	3000	2000	25 x 64	48 x 96	25 x 64	7 1/4	55	28	1 1/2	2
	LPT-050-48	5000	3500	2350	25 x 64	48 x 96	25 x 64	7 1/4	55	34	1 1/2	2
	LPT-060-48	6000	3500	2350	25 x 64	48 x 96	25 x 64	7 1/4	55	42	1 1/2	3
60"	LPT-020-60	2000	2000	1500	25 x 84	48 x 108	25 x 84	7 1/2	67	28	1 1/2	1
	LPT-025-60	2500	2500	2000	25 x 84	48 x 108	25 x 84	7 1/2	67	34	1 1/2	1
	LPT-030-60	3000	3000	2000	25 x 84	48 x 108	25 x 84	7 1/2	67	39	1 1/2	2
	LPT-035-60	3500	3000	2000	25 x 84	48 x 108	25 x 84	7 1/2	67	42	1 1/2	2
	LPT-040-60	4000	3000	2000	25 x 84	48 x 108	25 x 84	7 1/2	67	51	1 1/2	2
	LPT-050-60	5000	3500	2350	25 x 84	48 x 108	25 x 84	7 1/2	68	60	1 1/2	3
	LPT-060-60	6000	3500	2350	25 x 84	48 x 108	25 x 84	7 1/2	68	70	1 1/2	3
72"	LPT-020-72	2000	1500	1500	24 x 48	48 x 60	24 x 48	14 1/2	86 1/2	21	1 1/2	2
	LPT-025-72	2500	1500	1500	24 x 48	48 x 60	24 x 48	14 1/2	86 1/2	25	1 1/2	2
	LPT-030-72	3000	1500	1500	24 x 48	48 x 60	24 x 48	14 1/2	86 1/2	30	1 1/2	2

Internally mounted 1 1/2 hp.
115/230V-I-60 or
230/460-3-60 intermittent
duty TENV super torque motor.

Specify voltage.

115V operating control voltage.

NEMA constant pressure. Magnet backed
up-down push button control
station with 10' straight or coiled cord.

NEMA - 1 prewired controls and
electrical connectors. Control box
contains contactor, control transformer,
thermal overload and fuse.

All controller components meet UL and/or
CSA specifications.

Cylinders with internal stops.

10 ft. power cord. (connector not included)

Hard, chrome plated, polished shafting
hydraulic cylinder piston rods.

Surfaces degreased, descaled and
finished with Safety Yellow and Blue enamel.

Smooth steel top with yellow and black
safety stripes.

S.A.E. hoses and fittings.

Integral safety restraint maintenance bars.

Internal gear pump with check valve, relief
valve, solenoid valve.

Includes hydraulic oil and filter.

Limited Warranty

90 day repair or replacement on total
product. 90 days on electrical components,
except motors. Motors are warranted for 1
year. 5 years or 100,000 cycles on bearings.
5 years on structural.

Specifications are subject to change without
notice. Consult your dealer for current
information.

Lift Products, Inc. products are covered by
Patents Pending and other rights reserved.

OPTIONS:

- Foot control switch with a 10' cord.
- Accordion Skirting or Roller Curtain Skirting.
- Tapered Toe Guards for Pit Mounting.
- Rotating Top.
- Casters.
- Semi-live with Jack Handle.
- Special Controls.
- All Stainless Steel Top.
- Perimeter Safety Bar
- Other Options Available

Contact Factory for Special Requirements.

MAX-LIFT Scissor Lift Table - 36" Wide Base



VERTICAL TRAVEL	MODEL	CAPACITY (POUNDS)	EDGE LOADS		PLATFORM SIZES		BASE FRAME (INCHES)	HEIGHT		UP SPEED (SECONDS)	MOTOR H/P	CYLINDER (QUANTITY)
			STATIC	ROLLING	STANDARD	MAXIMUM		LOWERED	RAISED			
36"	LPT3W-020-36	2000	2000	1500	36 x 48	60 x 72	36 x 48	7	43	10	1 1/2	1
	LPT3W-025-36	2500	2500	2000	36 x 48	60 x 72	36 x 48	7	43	12	1 1/2	1
	LPT3W-030-36	3000	3000	2000	36 x 48	60 x 72	36 x 48	7	43	13	1 1/2	1
	LPT3W-035-36	3500	3000	2000	36 x 48	60 x 72	36 x 48	7	43	17	1 1/2	1
	LPT3W-040-36	4000	3000	2000	36 x 48	60 x 72	36 x 48	7	43	19	1 1/2	1
	LPT3W-045-36	4500	3500	2350	36 x 48	60 x 72	36 x 48	7	43	20	1 1/2	2
	LPT3W-050-36	5000	3500	2350	36 x 48	60 x 72	36 x 48	7	43	25	1 1/2	2
	LPT3W-060-36	6000	3500	2350	36 x 48	60 x 72	36 x 48	7	43	26	1 1/2	2
48"	LPT3W-020-48	2000	2000	1500	36 x 64	60 x 96	36 x 64	7	55	24	1 1/2	1
	LPT3W-025-48	2500	2500	1750	36 x 64	60 x 96	36 x 64	7	55	25	1 1/2	1
	LPT3W-030-48	3000	3000	2000	36 x 64	60 x 96	36 x 64	7	55	27	1 1/2	2
	LPT3W-035-48	3500	3000	2000	36 x 64	60 x 96	36 x 64	7	55	32	1 1/2	2
	LPT3W-040-48	4000	3000	2000	36 x 64	60 x 96	36 x 64	7 1/4	55	33	1 1/2	2
	LPT3W-050-48	5000	3500	2350	36 x 64	60 x 96	36 x 64	7 1/4	55	34	1 1/2	2
	LPT3W-060-48	6000	3500	2350	36 x 64	60 x 96	36 x 64	7 1/4	55	35	1 1/2	3
60"	LPT3W-020-60	2000	2000	1500	36 x 84	60 x 108	36 x 84	7 1/2	67	30	1 1/2	1
	LPT3W-025-60	2500	2500	2000	36 x 84	60 x 108	36 x 84	7 1/2	67	35	1 1/2	1
	LPT3W-030-60	3000	3000	2000	36 x 84	60 x 108	36 x 84	7 1/2	67	40	1 1/2	2
	LPT3W-035-60	3500	3000	2000	36 x 84	60 x 108	36 x 84	7 1/2	67	43	1 1/2	2
	LPT3W-040-60	4000	3000	2000	36 x 84	60 x 108	36 x 84	7 1/2	67	53	1 1/2	2
	LPT3W-050-60	5000	3500	2350	36 x 84	60 x 108	36 x 84	7 1/2	67	64	1 1/2	3
	LPT3W-060-60	6000	3500	2350	36 x 84	60 x 108	36 x 84	7 1/2	67	71	1 1/2	3

MAX-LIFT Scissor Lift Table - 48" Wide Base

VERTICAL TRAVEL	MODEL	CAPACITY (POUNDS)	EDGE LOADS		PLATFORM SIZES		BASE FRAME (INCHES)	HEIGHT		UP SPEED (SECONDS)	MOTOR H/P	CYLINDER (QUANTITY)
			STATIC	ROLLING	STANDARD	MAXIMUM		LOWERED	RAISED			
36"	LPT4W-020-36	2000	2000	1500	48 x 48	72 x 72	48 x 48	7	43	10	1 1/2	1
	LPT4W-025-36	2500	2500	2000	48 x 48	72 x 72	48 x 48	7	43	12	1 1/2	1
	LPT4W-030-36	3000	3000	2000	48 x 48	72 x 72	48 x 48	7	43	13	1 1/2	2
	LPT4W-035-36	3500	3000	2000	48 x 48	72 x 72	48 x 48	7	43	17	1 1/2	2
	LPT4W-040-36	4000	3000	2000	48 x 48	72 x 72	48 x 48	7	43	19	1 1/2	2
	LPT4W-045-36	4500	3500	2350	48 x 48	72 x 72	48 x 48	7	43	20	1 1/2	2
	LPT4W-050-36	5000	3500	2350	48 x 48	72 x 72	48 x 48	7	43	25	1 1/2	2
	LPT4W-060-36	6000	3500	2350	48 x 48	72 x 72	48 x 48	7	43	26	1 1/2	2
48"	LPT4W-020-48	2000	2000	1500	48 x 64	72 x 96	48 x 64	7	55	24	1 1/2	1
	LPT4W-025-48	2500	2500	1750	48 x 64	72 x 96	48 x 64	7	55	25	1 1/2	1
	LPT4W-030-48	3000	3000	2000	48 x 64	72 x 96	48 x 64	7	55	27	1 1/2	2
	LPT4W-035-48	3500	3000	2000	48 x 64	72 x 96	48 x 64	7	55	32	1 1/2	2
	LPT4W-040-48	4000	3000	2000	48 x 64	72 x 96	48 x 64	7 1/4	55	33	1 1/2	2
	LPT4W-050-48	5000	3500	2350	48 x 64	72 x 96	48 x 64	7 1/4	55	34	1 1/2	2
	LPT4W-060-48	6000	3500	2350	48 x 64	72 x 96	48 x 64	7 1/4	55	35	1 1/2	3
60"	LPT4W-020-60	2000	2000	1500	48 x 84	72 x 108	48 x 84	7 1/2	67	30	1 1/2	1
	LPT4W-025-60	2500	2500	2000	48 x 84	72 x 108	48 x 84	7 1/2	67	35	1 1/2	1
	LPT4W-030-60	3000	3000	2000	48 x 84	72 x 108	48 x 84	7 1/2	67	40	1 1/2	2
	LPT4W-035-60	3500	3000	2000	48 x 84	72 x 108	48 x 84	7 1/2	67	43	1 1/2	2
	LPT4W-040-60	4000	3000	2000	48 x 84	72 x 108	48 x 84	7 1/2	67	53	1 1/2	2
	LPT4W-050-60	5000	3500	2350	48 x 84	72 x 108	48 x 84	7 1/2	67	64	1 1/2	3
	LPT4W-060-60	6000	3500	2350	48 x 84	72 x 108	48 x 84	7 1/2	67	71	1 1/2	3



"Innovations in Ergonomics" aptly describes our guiding philosophy. The development of material handling products with the emphasis on ergonomics enables us to actually contribute to a reduction of injuries in the workplace. Lift Products is proud to be able to offer products that are ergonomically designed and, as a result, substantially increase productivity.

We pride ourselves on being a valuable source for custom products as well as being able to make certain modifications to our standard products that are simply too difficult for many manufacturers to consider. If you have an unusual request, be sure to check with us. Chances are, we will be in a position to work with you.

Remember, if you don't see exactly what you are looking for, call us toll free at **877-LIFT-PRO** (877-543-8776) You are also invited to visit our web site at: www.liftproducts.com




MAX-MGV

The Max-MGV (manually Guided Vehicle) has been designed to move products in the assembly process from station to station and place them at the ideal height, increase through put and offer the most comfortable ergonomic position all without the assistance of other material handling equipment.

Rotating Top Improves Productivity

- Rotating conveyor top with pneumatic brake roller stop
- Special air rotating bearing to eliminate hanging hoses or trip hazards
- Automatic stop at home position



Custom Tilt-Table Up-ends Rolls

Rolls are conveyed onto filter. Roll is tilted 90° to be placed on pallet and conveyed off.



Air Bearing Base Provides Easy Positioning

This table has a raised air bearing base that permits movement of heavy loads by floating the load from position to position.

MAX-Lift and Tilt

MAX-Lift and Tilt tables are available in both standard and custom models in both 45 and 90 degree tilt. Tilt only models are also available.



Double Scissors Long

For loads that require extra length. We offer tables up to 14 feet long.

**Shown with optional accordion skirting and conveyor top.*